

8300/8500

8300AG/8500AG



Effective Joint Seals -

Snug-fitting tongue-and-groove section joints reduces wind and weather from entering the garage.

Foamed-In-Place Polyurethane Insulation Thermally efficient with a U-factor*

of .15 and an R-value** of 12.12 for Model 8300 and a U-factor* of 0.12 and an R-value** of 16.22 for Model 8500.

Heavy Gauge Steel End Caps <

Wrap-around end caps trim out door edges for better appearance, improved strength and protect the insulation from damage.



Silent Glide Rollers

Nylon rollers with solid steel shafts provide years of smooth, quiet and dependable operation.

High Cycle Spring Option

Choose a 25,000 cycle spring for more than twice the life of a standard torsion spring.

Wind Load Options Available

with structural reinforcements for use in coastal or high wind regions.




Limited Lifetime Warranty




^{*}U-factor is independently tested and verified per ANSI/DASMA 105 using solid doors and specific product sizes.

^{**} Wayne Dalton uses a calculated door section R-value for our insulated doors.


1 Choose Your Style




Short panel




Long panel



Vertical Short panel



Vertical Long panel (Model 8300 only)



Flush panel

2 Choose Your Color

Paint Finishes

Wood grain embossment



White



Almond



Sandstone



Terra Bronze



Brown



Black

Wood Grain Impressions $^{\text{\tiny TM}}$ Plank Finishes

Stucco embossment (Available on Models 8300/8300AG Flush panel only)



Cedar Plank



Medium Oak Plank



Beachwood Plank



Carbon Oak Plank

Wood Grain Impressions $^{\scriptscriptstyle\mathsf{TM}}$ Bi-Directional Finishes

Stucco embossment (Not available on Flush panel)



Western Cedar



Carbon Oak



Medium Oak



Available with the TruChoice® Color System, Wayne Dalton's custom painting process that offers more than 6,000 colors. See dealer for details.

Panel designs and colors shown are representational only. Panel designs may vary based on selected configuration and actual colors may vary due to fluctuations in the printing projects. Always request a color sample from your Dealer for accurate color matching.

3 Choose Your Windows

Wood Grain Impressions™ Plank Finishes and Paint Finishes



Arched Stockton Long



Cathedral Long



Double Narrow



Ruston Long



Stockbridge Long (4-Lite)



Stockton Long (8-Lite)



Waterton Long



Wyndbridge Long



Ashton Long



Cathedral Short



Narrow



Sherwood Long



Stockford Long



Stockton Long (8-Lite Arched)



Waterton Short



Arched Stockton Long 4 pc



Cascade Long



Clear Long



Prairie Long



Sherwood Short



Stockton Long (4-Lite)



Stockton Long (12-Lite)



Williamsburg Long



Cascade Short



Clear Short



Prairie Short



Stockbridge Long (3-Lite)



Stockton Long (6-Lite)



Stockton Short



Williamsburg Short



Williamsburg Long 4 pc

Wood Grain Impressions™ Bi-Directional Finishes



Clear Long



Stockton Long (8-Lite)



Stockton Long (6-Lite)



Clear Short



Stockbridge Long (3-Lite)



Stockton Short



Prairie Long



Stockbridge Long (4-Lite)



Prairie Short



Stockton Long (4-Lite)

Choice of single or double arch is available for arched top double car windows

Window Placement Options (Models 8300AG/8500AG)


Optional window placements available with Clear Short or Clear Long windows only. Standard window placement (Models 8300/8500) on top or intermediate row only.

Vertical Option



Short, Long, Vertical Long and Flush panels.

Double Row Option (top and intermediate)



Short, Long, Vertical Short, Vertical Long and Flush panels.

Vertical and Horizontal (left or right)



Short, Long, Vertical Short and Flush panels.

All Window Option



Flush panels.

WINDOW AVAILABILITY BY DOOR PANEL STYLE

SHORT PANEL

Cascade Short
Cathedral Short
Clear Short
Prairie Short
Sherwood Short
Stockton Short
Waterton Short
Williamsburg Short
(4 pc & 8 pc)

VERTICAL SHORT PANEL

*Arched Stockton Long Ashton Long Cascade Short & Long Cathedral Short & Long Clear Short & Long Prairie Short & Long Ruston Lona Sherwood Short & Long Stockbridge Long (3-Lite) Stockbridge Long (4-Lite) Stockford Long Stockton Long (4, 6, 8 & 12-Lite) Stockton Long Arch 8-Lite Stockton Short (4-Lite) Waterton Short & Long Williamsburg Long (2 pc & 4 pc) Wyndbridge Long (2 pc, 3 pc, 4 pc, 5 pc)

LONG & VERTICAL LONG PANEL

*Arched Stockton Long Ashton Long Cascade Long Cathedral Long Clear Long Prairie Long Ruston Lona Sherwood Long Stockbridge Long (3-Lite) Stockbridge Long (4-Lite) Stockford Long Stockton Long (4, 6, 8 & 12-Lite) Stockton Long Arch 8-Lite Waterton Long Williamsburg Long (2 pc & 4 pc) Wyndbridge Long (2 pc, 3 pc, 4 pc, 5 pc)

FLUSH PANEL

- *Arched Stockton Long
 Ashton Long
 Cascade Short & Long
 Cathedral Short & Long
 Clear Short & Long
- **Double Narrow
- **Narrow

Prairie Short & Long
Ruston Long
Sherwood Short & Long
Stockbridge Long (3-Lite)
Stockbridge Long (4-Lite)
Stockford Long
Stockton Long (4, 6, 8 & 12-Lite)
Stockton Long Arch 8-Lite
Stockton Short (4-Lite)
Waterton Short

- *Williamsburg Long (2 pc & 4 pc)
- *Williamsburg Short (4 pc & 8 pc) Wyndbridge Long (2 pc, 3 pc, 4 pc)

Glass Options



Clear[†]



Gray Tinted Tempered



Green Tinted Tempered



Bronze Tinted Tempered




Satin Etched Privacy[†]



Obscure[†]

†Insulated glass available.


4 Choose Your Decorative Hardware



^{*}Available in single and double arch.

^{**}Available on Wood Grain Impressions™ Plank finishes with 1/2" clear insulated or impact resistant glass.







Garage Door Design Center

To see this door on your home, visit wayne-dalton.com, or download our Garage Door Design Center app. Upload a photo of your home and experiment with panel designs, color options, window styles and decorative hardware designs. Instant curb appeal awaits you with just a click of your mouse.





Wayne Dalton participates in the DASMA Thermal Performance Verification Program. The program verifies the thermal performance of sectional garage doors. The lower the U-factor rating, the better the thermal performance.



Symbol indicates verified U-factor rating in accordance with the DASMA Thermal Performance Verification Program.

Wayne Dalton.

DISTRIBUTED BY:

2501 S. State Hwy. 121 Bus., Ste 200 Lewisville, TX 75067

wayne-dalton.com













© 2024 Wayne Dalton, a Division of Overhead Door Corporation. Consistent with our policy of continuing product improvement, we reserve the right to change product specifications without notice or obligation. Item W900-1212 09/24